




## 'Basic' ball valves

# Solvent socket outlet - FPM - Catch handle system ITEM 234



| REFERENCE | DESCRIPTION                                | Net weight | Volumen (m <sup>3</sup> ) | Gross weight | Unidades lote |
|-----------|--------------------------------------------|------------|---------------------------|--------------|---------------|
| 1011659   | FPM CATCH BALL V, S. SOCKET OUT. 63        | 1,2        | 0,03682                   | 5,44         | 4             |
| 1011660   | FPM CATCH BALL V, S. SOCKET OUT. 75        | 3,08       | 0,03682                   | 12,97        | 4             |
| 1011661   | FPM CATCH BALL V, S. SOCKET OUT. 90        | 4,694      | 0,03682                   | 10,038       | 2             |
| 1011662   | FPM CATCH BALL V, S. SOCKET OUT. 110       | 5,3        | 0,04460                   | 11,44        | 2             |
| 1011663   | FPM CATCH BALL V, S. SOCKET OUT. 75-90     | 3,287      | 0,03682                   | 7,224        | 2             |
| 1011664   | FPM CATCH BALL V, S. SOCKET OUT. 90-110    | 4,935      | 0,03682                   | 10,52        | 2             |
| 1011665   | FPM CATCH BALL V, S. SOCKET OUT. 125 DN100 | 5,76       | 0,03648                   | 6,46         | 1             |
| 1011666   | FPM CATCH BALL V, S. SOCKET OUT. 140       | 6,82       | 0,03648                   | 7,52         | 1             |
| 1011667   | FPM CATCH BALL V, S. SOCKET OUT. 125       | 8,9818     | 0,03682                   | 9,531        | 1             |
| 1011668   | FPM CATCH HAND. BALL V, SOLV. S. 140       | 7,9        | 0,03682                   | 8,55         | 1             |
| 1011669   | FPM CATCH BALL V, S. SOCKET OUT. 63-75     | 1,842      | 0,03682                   | 4,334        | 2             |





## ITEM 234 | Solvent socket outlet - FPM - Catch handle system

| CÓDIGO | f   | DN  | PESO (g) | A   | B   | C   | D   | E   | F   | PN   | MEDIDA  |         |    |
|--------|-----|-----|----------|-----|-----|-----|-----|-----|-----|------|---------|---------|----|
| 11759  | 63  | 50  | 1889.2   | 90  | 220 | 173 | 121 | 38  | 235 | PN16 | MÉTRICO | 1889.2  | No |
| 11760  | 75  | 65  | 3156     | 121 | 250 | 215 | 151 | 45  | 235 | PN10 | MÉTRICO | 3156    | No |
| 11761  | 90  | 80  | 4869     | 141 | 271 | 255 | 175 | 51  | 235 | PN10 | MÉTRICO | 4869    | No |
| 11762  | 110 | 100 | 6720.1   | 155 | 287 | 267 | 210 | 61  | 270 | PN10 | MÉTRICO | 6720.1  | No |
| 11763  | 125 | 113 | 8755.1   | 161 | 323 | 328 | 228 | 71  | 509 | PN10 | MÉTRICO | 8755.1  | No |
| 11889  | 125 | 113 | 10425.1  | 161 | 335 | 340 | 252 | 71  | 512 | PN10 | MÉTRICO | 10425.1 | Sí |
| 11890  | 140 | 125 | 13873.1  | 195 | 363 | 405 | 278 | 76  | 519 | PN10 | MÉTRICO | 13873.1 | No |
| 11883  | 160 | 150 | 18460    | 153 | 436 | 350 | 284 | 101 | 511 | PN10 | MÉTRICO | 18460   | No |
| 11769  | 75  | 50  | 1842     | 90  | 220 | 192 | 121 | 45  | 235 | PN10 | MÉTRICO | 1842    | No |





Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



[www.hidroten.es](http://www.hidroten.es)



## ITEM 234 | Solvent socket outlet - FPM - Catch handle system

|       |     |     |         |     |     |     |     |     |     |      |         |  |         |    |
|-------|-----|-----|---------|-----|-----|-----|-----|-----|-----|------|---------|--|---------|----|
| 11765 | 110 | 80  | 4935    | 141 | 271 | 286 | 175 | 61  | 235 | PN10 | MÉTRICO |  | 4935    | No |
| 11766 | 125 | 100 | 5760    | 155 | 287 | 312 | 210 | 71  | 270 | PN10 | MÉTRICO |  | 5760    | No |
| 11767 | 140 | 100 | 6820    | 155 | 287 | 326 | 210 | 71  | 270 | PN10 | MÉTRICO |  | 6820    | Sí |
| 11768 | 140 | 113 | 8624    | 161 | 323 | 340 | 228 | 76  | 512 | PN10 | MÉTRICO |  | 8624    | No |
| 11840 | 160 | 125 | 14163.1 | 195 | 363 | 405 | 252 | 101 | 519 | PN10 | MÉTRICO |  | 14163.1 | No |



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es



## Product Documents



## Product Certificates

## Company Certificates



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &  
Commercial Service  
+ 34 966 105 888



www.hidroten.es