



'Compact' ball valves

Female threaded pneumatic actuator double acting ITEM 911



REFERENCE	DESCRIPTION	Net weight	Volumen (m ³)	Gross weight	Unidades lote
111C222	3/4" COMPACT FEM. THREAD VALVE WITH ACT. NEUM. D/E	1,4248	0,03129	1,9978	1
111C223	1" COMPACT FEM. THREADED VALVE WITH ACT. NEUM. D/E	1,4704	0,03129	2,0434	1
111C224	1 1/4" COMPA. FEM. THRE. VALVE WITH ACT. NEUM. D/E	1,6917	0,03129	2,2647	1
111C225	1 1/2" COMPA. FEM. THRE. VALVE WITH ACT. NEUM. D/E	2,713	0,03129	3,286	1
111C226	2" COMPACT FEM. THREADED VALVE WITH ACT. NEUM. D/E	2,4115	0,03129	2,9845	1
111C227	VALVULA COMPACT R/H 2 1/2" ACT NEUMATICO D/E	4,602	0,03129	5,178	1
111C228	VALVULA COMPACT R/H 3" ACT NEUMATICO D/E	4,612	0,03129	5,185	1



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62




tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es



ITEM 911 | Female threaded pneumatic actuator double acting

CÓDIGO	r	DN	PESO (g)	Actuador	A	B	C	D	E	PN	TIPO ROSCA
11C227	2 1/2"	65	4602	H075DE	188	132	30	316	210	PN10	BSP
11C228	3"	65	4612	H075DE	188	132	30	316	210	PN10	BSP





Product Documents



Product Certificates

Company Certificates



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Technical &
Commercial Service
+ 34 966 105 888



www.hidroten.es