




Spare parts

Male solvent socket outlet

ITEM 639

| REFERENCE | DESCRIPTION | Net weight | Volumen (m ³) | Gross weight | Unidades lote |
|-----------|--------------------------------------|------------|---------------------------|--------------|---------------|
| 111D811 | BIDIRECTIONAL BALL V. MALE OUTLET 20 | 0,039 | 0,00891 | 2,53 | 60 |
| 111D812 | BIDIRECTIONAL BALL V. MALE OUTLET 25 | 0,056 | 0,00892 | 2,4774 | 40 |
| 111D813 | BIDIRECTIONAL BALL V. MALE OUTLET 32 | 0,08 | 0,01553 | 5,1267 | 60 |
| 111D814 | BIDIRECTIONAL BALL V. MALE OUTLET 40 | 0,14 | 0,01553 | 4,3167 | 28 |
| 111D815 | BIDIRECTIONAL BALL V. MALE OUTLET 50 | 0,31 | 0,02244 | 9,7877 | 30 |
| 111D816 | BIDIRECTIONAL BALL V. MALE OUTLET 63 | 0,336 | 0,02244 | 8,554 | 24 |





ITEM 639 | Male solvent socket outlet

| CÓDIGO | f | PESO (g) | DN | A | B | PN | MEDIDA |
|--------|----|----------|----|-----|----|------|---------|
| 11D811 | 20 | 41 | 15 | 55 | 16 | PN16 | MÉTRICO |
| 11D812 | 25 | 60 | 20 | 62 | 19 | PN16 | MÉTRICO |
| 11D813 | 32 | 86 | 25 | 72 | 23 | PN16 | MÉTRICO |
| 11D814 | 40 | 152 | 32 | 88 | 25 | PN16 | MÉTRICO |
| 11D815 | 50 | 238 | 40 | 103 | 31 | PN16 | MÉTRICO |
| 11D816 | 63 | 374 | 50 | 120 | 38 | PN16 | MÉTRICO |



Product Documents



Product Certificates

Company Certificates

