




Netvitc System® butterfly valves

Double acting pneumatic actuator, solvent socket outlet ITEM 176



| REFERENCE | DESCRIPTION | Net weight | Volumen (m ³) | Gross weight | Unidades lote |
|-----------|--|------------|---------------------------|--------------|---------------|
| 109N320 | B. NET S. V. D/ACT. PNEUM,S. SOCK. 63 | 5,0843 | 0,02243 | 5,402 | 1 |
| 109N321 | B. NET S. V. D/ACT. PNEUM,S. SOCK. 75 | 4,0743 | 0,02244 | 4,57 | 1 |
| 109N322 | B. NET S. V. D/ACT. PNEUM,S. SOCK. 90 | 6,3092 | 0,03129 | 6,894 | 1 |
| 109N323 | B. NET S. V. D/ACT. PNEUM,S. SOCK. 110 | 7,325 | 0,03648 | 7,915 | 1 |
| 109N324 | B. NET S. V. D/ACT. PNEUM,S. SOCK. 125 | 8,2251 | 0,04460 | 8,955 | 1 |
| 109N325 | B. NET S. V. D/ACT. PNEUM,S. SOCK. 140 | 12,5195 | 0,06150 | 13,44 | 1 |
| 109N326 | B. NET S. V. D/ACT. PNEUM,S. SOCK. 160 | 12,7547 | 0,04460 | 13,4964 | 1 |
| 109N327 | B. NET S. V. D/ACT. PNEUM,S. SOCK. 200 | 19,2223 | 0,08677 | 20,244 | 1 |
| 109N328 | B. NET S. V. D/ACT. PNEUM,S. SOCK. 225 | 17,364 | 0,01553 | 17,604 | 1 |



ITEM 176 | Double acting pneumatic actuator, solvent socket outlet

| CÓDIGO | f | BRIDA | Pesos | A | B | C | D | E | PN | MEDIDA |
|--------|-----|-------|-------|-----|-----|-----|-----|-----|------|---------|
| 9N320 | 63 | 75 | 5432 | 138 | 218 | 42 | 376 | 205 | PN10 | MÉTRICO |
| 9N321 | 75 | 75 | 5390 | 138 | 192 | 44 | 376 | 205 | PN10 | MÉTRICO |
| 9N322 | 90 | 90 | 6236 | 164 | 235 | 52 | 400 | 205 | PN10 | MÉTRICO |
| 9N323 | 110 | 110 | 7019 | 188 | 247 | 61 | 420 | 205 | PN10 | MÉTRICO |
| 9N324 | 125 | 125 | 7993 | 203 | 282 | 70 | 431 | 205 | PN10 | MÉTRICO |
| 9N325 | 140 | 140 | 10372 | 224 | 298 | 78 | 451 | 310 | PN10 | MÉTRICO |
| 9N326 | 160 | 160 | 12111 | 251 | 315 | 86 | 473 | 310 | PN10 | MÉTRICO |
| 9N327 | 200 | 200 | 16344 | 297 | 390 | 106 | 547 | 310 | PN6 | MÉTRICO |
| 9N328 | 225 | 200 | 17364 | 297 | 476 | 120 | 547 | 310 | PN6 | MÉTRICO |



Product Documents



Product Certificates

Company Certificates

