




## Netwell® foot valves

# Foot valve, solvent socket outlet

## ITEM 291



| REFERENCE | DESCRIPTION                            | Net weight | Volumen (m <sup>3</sup> ) | Gross weight | Unidades lote |
|-----------|--|------------|---------------------------|--------------|---------------|
| 1014207   | ASPIR. FOOT VALVE,S. SOCKET OUT. 90    | 3,1673     | 0,02457                   | 3,485        | 1             |
| 1014208   | ASPIR. FOOT VALVE,S. SOCKET OUT. 110   | 3,1973     | 0,03129                   | 3,515        | 1             |
| 1014209   | ASPIR. FOOT VALVE,S. SOCKET OUT. 125   | 5,277      | 0,03129                   | 5,85         | 1             |
| 1014210   | ASPIR. FOOT VALVE,S. SOCKET OUT. 140   | 5,282      | 0,03129                   | 5,855        | 1             |
| 1014211   | ASPIR. FOOT VALVE,S. SOCKET OUT. 160   | 5,457      | 0,03129                   | 6,03         | 1             |
| 1014213   | ASPIR. FOOT VALVE,S. SOCKET OUT. 200   | 10,137     | 0,13096                   | 10,717       | 1             |
| 1014214   | ASPIR. FOOT VALVE,S. SOCKET OUT. 225   | 14,82      | 0,13096                   | 15,4         | 1             |
| 1014220   | ASPIR. FOOT V.,S. SOCK. OUT. 110-DN125 | 5,277      | 0,03129                   | 5,85         | 1             |
| 1014235   | ASPIR. FOOT VALVE,S. SOCKET OUT. 125   | 3,257      | 0,03129                   | 3,83         | 1             |



## ITEM 291 | Foot valve, solvent socket outlet

| CÓDIGO | Ø   | PESOS | BRIDA | DN CUERPO | B   | C   | D   | E   | F  | G   | PN   | MEDIDA  |
|--------|-----|-------|-------|-----------|-----|-----|-----|-----|----|-----|------|---------|
| 14207  | 90  | 2990  | 125   | 110       | 51  | 122 | 349 | 259 | 53 | 311 | PN10 | MÉTRICO |
| 14208  | 110 | 3054  | 125   | 110       | 60  | 122 | 357 | 259 | 53 | 311 | PN10 | MÉTRICO |
| 14235  | 125 | 3088  | 125   | 110       | 69  | 122 | 371 | 259 | 53 | 311 | PN10 | MÉTRICO |
| 14220  | 110 | 5016  | 160   | 150       | 60  | 137 | 356 | 280 | 74 | 354 | PN10 | MÉTRICO |
| 14209  | 125 | 4844  | 160   | 150       | 69  | 137 | 365 | 280 | 74 | 354 | PN10 | MÉTRICO |
| 14210  | 140 | 4854  | 160   | 150       | 76  | 137 | 370 | 280 | 74 | 354 | PN10 | MÉTRICO |
| 14211  | 160 | 5208  | 160   | 150       | 86  | 137 | 380 | 280 | 74 | 354 | PN10 | MÉTRICO |
| 14213  | 200 | 8000  | 200   | 200       | 106 | 210 | 644 | 360 | 60 | 420 | PN10 | MÉTRICO |
| 14214  | 225 | 8530  | 200   | 200       | 120 | 210 | 687 | 360 | 60 | 420 | PN10 | MÉTRICO |



## Product Documents



## Product Certificates

## Company Certificates

