




PVC-U pressure fittings

Female threaded cap

ITEM 025

| REFERENCE | DESCRIPTION | Net weight | Volumen (m ³) | Gross weight | Unidades lote |
|-----------|----------------------------|------------|---------------------------|--------------|---------------|
| 1002040 | CAP FEMALE THREADED 1/2" | 0,011599 | 0,00473 | 1,045 | 80 |
| 1002041 | CAP FEMALE THREADED 3/4" | 0,019184 | 0,00473 | 1,46 | 70 |
| 1002042 | CAP FEMALE THREADED 1" | 0,03262 | 0,00473 | 1,585 | 45 |
| 1002043 | CAP FEMALE THREADED 1 1/4" | 0,05421 | 0,00892 | 3,44 | 60 |
| 1002044 | CAP FEMALE THREADED 1 1/2" | 0,077712 | 0,00892 | 4,073 | 50 |
| 1002045 | CAP FEMALE THREADED 2" | 0,1275 | 0,01553 | 6 | 45 |
| 1002046 | CAP FEMALE THREADED 2 1/2" | 0,187808 | 0,02244 | 8 | 40 |
| 1002047 | CAP FEMALE THREADED 3" | 0,34 | 0,02244 | 8,6477 | 24 |
| 1002048 | CAP FEMALE THREADED 4" | 0,482153 | 0,02244 | 7,72 | 15 |





ITEM 025 | Female threaded cap

| Codigo | A | Peso (g) | B | C | D | PN | ROSCA |
|--------|--------|----------|-----|----|----|------|-------|
| 02040 | 1/2" | 12 | 29 | 16 | 24 | PN10 | BSP |
| 02041 | 3/4" | 19 | 34 | 19 | 28 | PN10 | BSP |
| 02042 | 1" | 34 | 44 | 22 | 33 | PN10 | BSP |
| 02043 | 1 1/4" | 54 | 52 | 24 | 34 | PN10 | BSP |
| 02044 | 1 1/2" | 76 | 61 | 25 | 36 | PN10 | BSP |
| 02045 | 2" | 128 | 69 | 26 | 39 | PN10 | BSP |
| 02046 | 2 1/2" | 187 | 89 | 31 | 45 | PN10 | BSP |
| 02047 | 3" | 345 | 108 | 33 | 53 | PN10 | BSP |
| 02048 | 4" | 474 | 130 | 38 | 64 | PN10 | BSP |



Product Documents



Product Certificates



Company Certificates

