




Electrofusion

Té 90° injecté

ITEM 425

| RÉFÉRENCE | DESCRIPTION | Poids net | Volume (m ³) | Poids brut | Unités par lot |
|-----------|--------------------|-----------|--------------------------|------------|----------------|
| 1019425 | TE 90° INJECTE 63 | 0,3429 | 0,03682 | 6,035 | 16 |
| 1019426 | TE 90° INJECTE 75 | 0,5997 | 0,03682 | 7,333 | 12 |
| 1019427 | TE 90° INJECTE 90 | 0,8445 | 0,04717 | 9,365 | 10 |
| 1019428 | TE 90° INJECTE 110 | 1,4908 | 0,08677 | 16,888 | 10 |
| 1019429 | TE 90° INJECTE 125 | 2,1535 | 0,08678 | 18,25 | 8 |
| 1019430 | TE 90° INJECTE 140 | 2,9317 | 0,08678 | 15,68 | 5 |
| 1019431 | TE 90° INJECTE 160 | 4,1594 | 0,08678 | 13,5 | 3 |
| 1019432 | TE 90° INJECTE 180 | 6,23 | 0,06347 | 13,36 | 2 |
| 1019433 | TE 90° INJECTE 200 | 8,1 | 0,03648 | 8,1 | 1 |
| 1019434 | TE 90° INJECTE 225 | 10,07 | 0,06150 | 11,05 | 1 |
| 1019435 | TE 90° INJECTE 250 | 14,04 | 0,08677 | 14,715 | 1 |
| 1019436 | TE 90° INJECTE 280 | 21,88 | 0,00000 | 21,88 | 1 |
| 1019437 | TE 90° INJECTE 315 | 28,77 | 0,00000 | 28,77 | 1 |





ITEM 425 | Té 90° inyecté

| Código | f tubo-A | Peso (g) | B | C | D | e | PN | MEDIDA |
|--------|----------|----------|-----|-----|-----|------|------|---------|
| 19425 | 63 | 375 | 70 | 114 | 228 | 5.8 | PN16 | MÉTRICO |
| 19426 | 75 | 616 | 73 | 120 | 240 | 6.8 | PN16 | MÉTRICO |
| 19427 | 90 | 1031 | 86 | 153 | 306 | 8.2 | PN16 | MÉTRICO |
| 19428 | 110 | 1660 | 95 | 168 | 336 | 10 | PN16 | MÉTRICO |
| 19429 | 125 | 2215 | 100 | 177 | 354 | 11.4 | PN16 | MÉTRICO |
| 19430 | 140 | 3200 | 105 | 193 | 386 | 12.7 | PN16 | MÉTRICO |
| 19431 | 160 | 4320 | 124 | 225 | 450 | 14.6 | PN16 | MÉTRICO |
| 19432 | 180 | 5980 | 119 | 233 | 466 | 16.4 | PN16 | MÉTRICO |
| 19433 | 200 | 7760 | 127 | 251 | 502 | 18.2 | PN16 | MÉTRICO |
| 19434 | 225 | 10485 | 138 | 272 | 544 | 20.5 | PN16 | MÉTRICO |





ITEM 425 | Té 90° inyecté

| | | | | | | | | |
|-------|-----|-------|-----|-----|-----|------|------|---------|
| 19435 | 250 | 14780 | 148 | 314 | 628 | 22.7 | PN16 | MÉTRICO |
| 19436 | 280 | 18670 | 160 | 346 | 692 | 25.4 | PN16 | MÉTRICO |
| 19437 | 315 | 26150 | 170 | 380 | 760 | 28.6 | PN16 | MÉTRICO |





Documentation Produit



Certifications de produits

Certificats d'entreprise

