



## Raccords PVC-U pression

# Coude 90° "AIR", sortie à coller

## ITEM 623



| RÉFÉRENCE | DESCRIPTION                               | Poids net | Volume (m <sup>3</sup> ) | Poids brut | Unités par lot |
|-----------|---|-----------|--------------------------|------------|----------------|
| 1001627   | COUDE 90° "AIR" SORTIE F. À COLLER 50-25  | 0,167777  | 0,02244                  | 5,521      | 30             |
| 1001628   | COUDE 90° "AIR" SORTIE F. À COLLER 63-25  | 0,289233  | 0,03129                  | 9,25       | 30             |
| 1001629   | COUDE 90° "AIR" SORTIE F. À COLLER 75-25  | 0,480128  | 0,04717                  | 12,645     | 25             |
| 1001630   | COUDE 90° "AIR" SORTIE F. À COLLER 50-20  | 0,17391   | 0,02244                  | 5,705      | 30             |
| 1001631   | COUDE 90° "AIR" SORTIE F. À COLLER 63-20  | 0,299692  | 0,03129                  | 8,365      | 26             |
| 1001632   | COUDE 90° "AIR" SORTIE F. À COLLER 75-20  | 0,506128  | 0,04717                  | 13,295     | 25             |
| 1001633   | COUDE 90° "AIR" SORTIE F. À COLLER 90-25  | 0,79432   | 0,04717                  | 8,585      | 10             |
| 1001635   | COUDE 90° "AIR" SORTIE F. À COLLER 110-32 | 1,25132   | 0,04717                  | 13,155     | 10             |
| 1001636   | COUDE 90° "AIR" SORTIE F. À COLLER 125-32 | 1,931     | 0,04717                  | 12,21      | 6              |
| 1001637   | COUDE 90° "AIR" SORTIE F. À COLLER 125-63 | 1,711367  | 0,04717                  | 10,91      | 6              |
| 1001639   | COUDE 90° "AIR" SORTIE F. À COLLER 160-63 | 3,2774    | 0,06150                  | 14,03      | 4              |
| 1001640   | COUDE 90° "AIR" SORTIE F. À COLLER 200-63 | 4,894     | 0,06347                  | 10,618     | 2              |





## ITEM 623 | Coude 90°"AIR", sortie à coller

| Código | A   | d  | Peso (g) | B   | C  | D   | E   | PN   | MEDIDA  |
|--------|-----|----|----------|-----|----|-----|-----|------|---------|
| 01630  | 50  | 20 | 145      | 61  | 31 | 100 | 88  | PN16 | MÉTRICO |
| 01627  | 50  | 25 | 142      | 61  | 31 | 100 | 88  | PN16 | MÉTRICO |
| 01631  | 63  | 20 | 230      | 76  | 38 | 120 | 109 | PN16 | MÉTRICO |
| 01628  | 63  | 25 | 226      | 76  | 38 | 120 | 109 | PN16 | MÉTRICO |
| 01632  | 75  | 20 | 450      | 90  | 44 | 140 | 130 | PN16 | MÉTRICO |
| 01629  | 75  | 25 | 445      | 90  | 44 | 140 | 130 | PN16 | MÉTRICO |
| 01633  | 90  | 25 | 806      | 108 | 51 | 175 | 151 | PN16 | MÉTRICO |
| 01635  | 110 | 32 | 1255     | 131 | 61 | 206 | 184 | PN16 | MÉTRICO |
| 01636  | 125 | 32 | 1635     | 143 | 69 | 234 | 210 | PN16 | MÉTRICO |
| 01637  | 125 | 63 | 1602     | 143 | 69 | 234 | 210 | PN16 | MÉTRICO |





## ITEM 623 | Coude 90°"AIR", sortie à coller

|       |     |    |      |     |     |     |     |      |         |
|-------|-----|----|------|-----|-----|-----|-----|------|---------|
| 01639 | 160 | 63 | 2414 | 182 | 86  | 297 | 265 | PN10 | MÉTRICO |
| 01640 | 200 | 63 | 4891 | 225 | 106 | 340 | 320 | PN10 | MÉTRICO |





## Documentation Produit



## Certifications de produits



## Certificats d'entreprise



Pol. Ind. Plá Vallonga,  
c/ Agua, 28  
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es



Service d'Attention  
Technique Commerciale  
+34 966 105 888



www.hidroten.es