



Vannes à boisseau 'Basic'

Cuerpo V.E bloque seguridad a/elec. 220v. - PTFE

ITEM 261



| RÉFÉRENCE | DESCRIPTION | Poids net | Volume (m ³) | Poids brut | Unités par lot |
|-----------|--|-----------|--------------------------|------------|----------------|
| 1011569 | V. SHER. A/MOT ELEC 220V,BLOC SEC, 20 | 1,683 | 0,01553 | 1,923 | 1 |
| 1011570 | V. SHER. A/MOT ELEC 220V,BLOC SEC, 25 | 1,701 | 0,02244 | 2,241 | 1 |
| 1011571 | V. SHER. A/MOT ELEC 220V,BLOC SEC, 32 | 1,759 | 0,03129 | 2,299 | 1 |
| 1011572 | V. SHER. A/MOT ELEC 220V,BLOC SEC, 40 | 1,924 | 0,03129 | 2,484 | 1 |
| 1011573 | V. SHER. A/MOT ELEC 220V,BLOC SEC, 50 | 2,022 | 0,03129 | 2,582 | 1 |
| 1011574 | V. SHER. A/MOT ELEC 220V,BLOC SEC, 63 | 2,7 | 0,03648 | 3,4 | 1 |
| 1011575 | V. SHER. A/MOT ELEC 220V,BLOC SEC, 75 | 3,791 | 0,04460 | 4,631 | 1 |
| 1011576 | V. SHER. A/MOT ELEC 220V,BLOC SEC, 90 | 4,359 | 0,04460 | 5,199 | 1 |
| 1011577 | V. SHER. A/MOT ELEC 220V,BLOC SEC, 110 | 5,93 | 0,04460 | 6,77 | 1 |
| 1011578 | V. SHER. A/MOT ELEC 220V,BLOC SEC, 125 | 6,485 | 0,04460 | 7,325 | 1 |





ITEM 261 | Cuerpo V.E bloque seguridad a/elec. 220v. - PTFE

| CÓDIGO | f tubo | PESO (g) | DN | Actuador | A | B | C | PN | MEDIDA |
|--------|--------|----------|-----|----------|-----|-----|-----|------|---------|
| 11569 | 20 | 1683 | 15 | S20 | 47 | 227 | 177 | PN16 | MÉTRICO |
| 11570 | 25 | 1701 | 20 | S20 | 51 | 232 | 177 | PN16 | MÉTRICO |
| 11571 | 32 | 1759 | 25 | S20 | 66 | 243 | 177 | PN16 | MÉTRICO |
| 11572 | 40 | 1924 | 32 | S20 | 72 | 265 | 177 | PN16 | MÉTRICO |
| 11573 | 50 | 2022 | 40 | S20 | 77 | 282 | 177 | PN16 | MÉTRICO |
| 11574 | 63 | 2700 | 50 | S20 | 90 | 352 | 177 | PN16 | MÉTRICO |
| 11575 | 75 | 3791 | 65 | S35 | 121 | 426 | 177 | PN10 | MÉTRICO |
| 11576 | 90 | 4359 | 80 | S55 | 141 | 453 | 177 | PN10 | MÉTRICO |
| 11577 | 110 | 5930 | 100 | S55 | 155 | 477 | 177 | PN10 | MÉTRICO |
| 11578 | 125 | 6485 | 113 | S85 | 161 | 500 | 177 | PN10 | MÉTRICO |





ITEM 261 | Cuerpo V.E bloque seguridad a/elec. 220v. - PTFE



Pol. Ind. Plá Vallonga,
c/ Agua, 28
03006 ALICANTE (España)



+34 965 11 42 82



+34 965 11 48 62



tecnicocomercial@hidroten.es




Service d'Attention
Technique Commerciale
+34 966 105 888



www.hidroten.es



Documentation Produit



Certifications de produits



Certificats d'entreprise

