



## Vannes à boisseau 'Basic'

# Sortie fittings/fittings - FPM - Système Basic ITEM 224

RÉFÉRENCE	DESCRIPTION	Poids net	Volume (m <sup>3</sup> )	Poids brut	Unités par lot
1011510	V. SHERIQUE S/FITTING FPM 20-20	0,224	0,02244	9,5	40
1011511	V. SHERIQUE S/FITTING FPM 25-25	0,285	0,03682	12,02	40
1011512	V. SHERIQUE S/FITTING FPM 32-32	0,49	0,04717	15,46	30
1011513	V. SHERIQUE S/FITTING FPM 40-40	0,977	0,03682	16,3	16
1011514	V. SHERIQUE S/FITTING FPM 50-50	1,308	0,04880	20,2	15
1011515	V. SHERIQUE S/FITTING FPM 63-63	1,851	0,06347	19,35	10
1011516	V. SHERIQUE S/FITTING FPM 75-75	4,126225	0,04836	17,17	4
1011517	VALVULA ENLACE S/FITTING 90 FPM	6,803	0,03648	14,2	2
1011518	VALVULA ENLACE S/FITTING 110 FPM	9,86	0,03648	10,4462	1





## ITEM 224 | Sortie fittings/fittings - FPM - Système Basic

CÓDIGO	f	PESO (g)	DN	A	B	C	D	PN	MEDIDA
11510	20	224	15	203	52	47	78	PN16	MÉTRICO
11511	25	285	20	207	59	51	84	PN16	MÉTRICO
11512	32	490	25	246	70	66	97	PN16	MÉTRICO
11513	40	977	32	272	84	72	128	PN16	MÉTRICO
11514	50	1308	40	307	99	77	142	PN16	MÉTRICO
11515	63	1851	50	378	121	90	165	PN16	MÉTRICO
11516	75	4126	65	441	151	121	222	PN10	MÉTRICO
11517	90	5955	80	521	175	141	244	PN10	MÉTRICO
11518	110	9860	100	625	210	155	307	PN10	MÉTRICO





## Documentation Produit



## Certifications de produits

## Certificats d'entreprise

