



## Vannes à boisseau 'Basic'

# Sortie taraudée - FPM - Système Basic ITEM 223



RÉFÉRENCE	DESCRIPTION	Poids net	Volume (m <sup>3</sup> )	Poids brut	Unités par lot
1011272	V. SHERIQUE S/TARAUDEE FPM 4"	5,84	0,04460	12,52	2
1011492	V. SHERIQUE S/TARAUDEE FPM 1/2"	0,154	0,02244	7,201	40
1011493	V. SHERIQUE S/TARAUDEE FPM 3/4"	0,211183	0,02244	8,935	40
1011494	V. SHERIQUE S/TARAUDEE FPM 1"	0,366067	0,03129	11,555	30
1011495	V. SHERIQUE S/TARAUDEE FPM 1 1/4"	0,62585	0,03129	13,09	20
1011496	V. SHERIQUE S/TARAUDEE FPM 1 1/2"	0,8998	0,03129	14,07	15
1011497	V. SHERIQUE S/TARAUDEE FPM 2"	1,42708	0,03682	14,82	10
1011498	V. SHERIQUE S/TARAUDEE FPM 2 1/2"	2,8017	0,03129	11,78	4
1011499	V. SHERIQUE S/TARAUDEE FPM 3"	4,4062	0,02244	9,3	2





## ITEM 223 | Sortie taraudée - FPM - Système Basic

CÓDIGO	r	DN	PESO (g)	A	B	C	D	E	F	PN	TIPO ROSCA
11492	1/2"	15	154	91	52	17	78	94	47	PN16	BSP
11493	3/4"	20	211	101	59	20	84	100	51	PN16	BSP
11494	1"	25	366	120	70	23	97	140	66	PN16	BSP
11495	1 1/4"	32	626	134	84	26	128	161	72	PN16	BSP
11496	1 1/2"	40	899	153	99	33	142	171	77	PN16	BSP
11497	2"	50	1403	161	121	29	165	182	90	PN16	BSP
11498	2 1/2"	65	2746	204	151	33	222	275	121	PN10	BSP
11499	3"	80	4406	234	175	36	244	290	141	PN10	BSP
11272	4"	100	5840	267	210	42	307	426	155	PN10	BSP





## Documentation Produit



## Certifications de produits

## Certificats d'entreprise

